



联系电话 021-67601510
sales@empower.cn
www.empower.cn



8

84 B 105
16
73 E3166
2966 18 3




202409 400-670-1510 4hathc)0Ps b4tI4YX4FD2P AG88B2DD4xW2TxRW7CjdxEAF28E2Y3#x(EVXF5XBa0e48F7chDaPfBdGStJe8eseBedeilC03qVSVwqcsSQCceQ2eQ4c0IHCDIFe2A23t25bb6@CSe4tLhG8sF4#B4hQ416QRd4h3F04h@1A4xtepiW5pc1W5pbS56p5pc4p5Awp12E4FUEQ1HQV1H3@A4DtBRB34EBb0

xStudio IEC61131-3 4.0
xStudio xStudio (PLC) (Motion Control)
CNC



- IEC61131-3 ()
-
- xStudio Runtime CPU CPU X86 ARM Cortex CPU
Linux Windows
- CNC CNC
- EtherCAT OPC-UA Modbus MQTT。



xCon g

- EtherCAT
-
-
-
- EtherCAT SDO PDO DC
- EtherCAT
- xNC xCNC

xPLC

- IEC61131-3 (FBD) (LD) (IL) (ST) (SFC);

-
-
-
-
-
-
-

32 64

