






	↑	↓



1.1



1.	2.	3.
4.WIFI	5.DC5.5-12V	

1.2

Ў 3-5 Ў 1/3 ■
VBA Pts AI
Ў Ғ

Ў

78mm × 78mm × 65mm

0.3kg

Ј

<0.08mm

/12V

Wi-Fi

φ 25mm × 1mm

„ 1/3 ■ /”

APP


Ғ /

5V 12V DC5.5mm USB

1.3

-
-
-
-

AI
J π J ~
J ~ π L
L
Ü




-
-

AI

J ~ AI J'


1/3



-

~ π





└ L Σ

AI



İ J

Ů

ˆ

VBA

1.4

1.

2.

Q



3.

M B9 / 4 - 8 - K / S / 5 M €

L

-5

150 1/3 8 -8 200 1/3 8 -16 300 1/3 8

Σ


Σ

L

1064nm 650nm,

4.

WIFI \$ 35 $\Sigma^{\sim}$ APP, "



6. Z轴快速进给速度：2mm/s




4000E




8000

7. 红光对中



	机械坐标	工件坐标	跟随误差	
X	784.95	785.06	0.00	毫米
Y	213.66	213.66	0.00	毫米
Y1	213.66	213.66	0.00	毫米
Z	-60.01	39.99	0.00	毫米


8. $\Phi \rightarrow \sim \rightarrow \sim \rightarrow \Phi \rightarrow \pi$



9. $\pi \quad L \quad Z$

机械坐标	机械坐标	跟随误差	
X 709.50	709.64	0.00	毫米
Y 256.74	256.74	0.00	毫米
Y1 256.74	256.74	0.00	毫米
Z -130.21	1.00	0.02	毫米

10. $\pi \quad \pi \quad 70mm \quad Z$



11.

π

Σ^z

1 2 3 4 8 11



Σ

π L
Σ

π 1

1.5

- VBA ü

J

- 1
- 1 Σ ã

1.6

	YM.QTZ05.0021	